

TOUTRAVO VE509



NEOPRENE GLOVE LENGTH 30 CM

Model VE509



Product specifications

Neoprene with cotton flocklining. Length: 30 cm. Thickness: 0,75 mm.

Support: 100% neoprene.

Flocking: 100% cotton.

COLOUR

Black

SIZE

6/7, 7/8, 8/9, 9/10, 10/11

Product Use - Risks



Biological



Wearing



Particules

CHEM D-FINDER



Product Features and Benefits



Embossed structure on palm and fingers

Improved object grip

Neoprene

Versatile and highly efficient material against heat, detergents, alcohols, chemicals, greases and hydrocarbons

Flocked inside

Absorption of perspiration for comfort

Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 21420:2020 General requirements

5: Dexterity (from 1 to 5)

EN388:2016+A1:2018 Protective gloves against mechanical Risks (Levels obtained on the palm)



3: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)

1: Resistance to tear (from 1 to 4)

0: Resistance to puncture (1 to 4)

X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro- organisms - Part 1: Terminology and performance requirements for chemical risks.

TYPE A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015, .. Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.



A 3 > 60 mn: Méthanol (A) CAS 67-56-1

J 1 > 10 mn: n-Heptane (J) CAS 142-85-5

K 6 > 480 mn: Sodium hydroxide 40% (K) CAS 1310-73-2

L 4 > 120 mn: Sulphuric acid 96 % (L) CAS 7664-93-9

M 6 > 480 mn: Nitric acid 65% (M) CAS 7697-37-2

N 5 > 240 mn: Acetic acid 99% (N) CAS 64-19-7

O 3 > 60 mn: Ammonium hydroxide 25% (O) CAS 1336-21-6

P 6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1

S 6 > 480 mn: Hydrofluoric acid 40% (S) CAS 7664-39-3

T 6 > 480 mn: Formaldehyde 37% (T) CAS 50-00-0



EN ISO 374-4 :2019 Protective gloves against chemicals and micro-organisms - Part 4: Determination of resistance to degradation by chemicals

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks.

BACTERIA + FUNGI .. BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.



Item details

Item details	Bar code	COLOUR	SIZE		
VE509NO06	3295249011970	Black	6/7	120	12
VE509NO07	3295249011987	Black	7/8	120	12
VE509NO08	3295249011994	Black	8/9	120	12
VE509NO09	3295249012007	Black	9/10	120	12
VE509NO10	3295249012014	Black	10/11	120	12