


LOCKOUT TAGOUT SECURITY SOLUTIONS



SAFETY PADLOCK





Differnt sticker could be customized



Different body shapes for your choice





Various shackle can be customized

01




Different color for your choice





KEY CHARTING SYSTEM FOR SAFETY PADLOCKS

01



REGISTER KEY SYSTEM

It is important that each employee at a site has a unique padlock key to Help prevent duplicate keys from jeopardizing your lockout program. We promise to use different keys and numbering for each order if required. Besides each key can be recorded in our programming system so that you can reorder the same key whenever necessary.



| 38MM SAFETY PADLOCK | ITEM | KEYSYSTEM | SHACKLE | DESCRIPTION |
|---|-----------|------------------------|---------|--------------------------------|
| | S/S38-KA | Keyed Alike (KA) | | The type of lock body: A, B, C |
| | S/S38-KD | KeyedDiffer (KD) | Otari | The standard lock body: C |
| | S/S38-MK | Master Key (MK) | Steel | The standard color: RED |
| um de la companya de | S/S38-GMK | Grand Master Key (GMK) | | RED PRP |
| | PL38-KA | Keyed Alike (KA) | | O YLW BLK |
| LOCKED OUT IS NOT HEADS IS NOT | PL38-KD | KeyedDiffer (KD) | | 🔵 BLU 🛑 DBLU |
| | PL38-MK | Master Key (MK) | Nylon | GRN WHT |
| | PL38-GMK | Grand Master Key (GMK) | | 🔴 ORG 💮 GRY |

| ITEM | KEYSYSTEM | SHACKLE | DESCRIPTION | 76MM SAFETY PADLOCK |
|-----------|------------------------|---------|--------------------------------|--|
| S/S76-KA | Keyed Alike (KA) | | The type of lock body: A, B, C | |
| S/S76-KD | Keyed Differ (KD) | | The standard lock body: C | 6mm 20mm |
| S/S76-MK | Master Key (MK) | Steel | The standard color: RED | |
| S/S76-GMK | Grand Master Key (GMK) | | RED PRP | |
| PL76-KA | Keyed Alike (KA) | | - YLW BLK | |
| PL76-KD | Keyed Differ (KD) |] | 🔵 BLU 🔵 DBLU | |
| PL76-MK | Master Key (MK) | Nylon | GRN WHT | |
| PL76-GMK | Grand Master Key (GMK) | | ORG GRY | - The second sec |

a) Reinforced nylon body, withstand temperature from -20C to +80C. The steel shackle is chrome plated: the nonconductive shackle is made from nylon, withstand temperature from -20C to +120C, ensuring the strength and deformation fracture not easily.

b) Key Retaining Feature: When the shackle is open, the key can't be removed.

c) Laser printing and logo engraving available if required.


d) All different colors available.



| DUSTI | PROOF | PADL | OCK |
|-------|-------|------|-----|
| | | | |



| ITEM | KEYSYSTEM | SHACKLE | DESCRIPTION |
|--------------|------------------------|---------|--------------------------------|
| DP-S/S38-KA | Keyed Alike (KA) | | The type of lock body: A, B, C |
| DP-S/S38-KD | KeyedDiffer (KD) | Otari | The standard lock body: C |
| DP-S/S38-MK | Master Key (MK) | Steel | The standard color: RED |
| DP-S/S38-GMK | Grand Master Key (GMK) | | RED PRP |
| DP-PL38-KA | Keyed Alike (KA) | | O YLW BLK |
| DP-PL38-KD | Keyed Differ (KD) | Noders | 🔵 BLU 🛛 DBLU |
| DP-PL38-MK | Master Key (MK) | Nylon | GRN WHT |
| DP-PL38-GMK | Grand Master Key (GMK) | | ORG GRY |



a) Reinforced nylon body, withstand temperature from -20C to +80C. The steel shackle is chrome plated: the nonconductive shackle is made from nylon, withstand temperature from -20C to +120C, ensuring the strength and deformation fracture not easily.

b) Key Retaining Feature: When the shackle is open, the key can't be removed.

c) Laser printing and logo engraving available if required.

d) All different colors available.

🔶 LILY

CIRCUIT BREAKER LOCKOUT



LOCKOUT TAGOUT SECURITY SOLUTIONS


LILY

02

CIRCUIT BREAKER LOCKOUT







- a) Mini circuit breaker locks are made from Nylon.
 b) A safe and effective method for locking out miniature circuit breakers, commonly used in European and Asian equipment.
- c) Lock with our Safety Padlocks.
 d) Devices can support padlocks with a shackle diameter up to 9/32" (7mm).
 e) Easily installed with a push button, no tools needed.
- f) Used for single and multi-pole circuit breakers.


🔶 LILY

LOCKOUT TAGOUT SECURITY SOLUTIONS

LILY


02

CIRCUIT BREAKER LOCKOUT



- a)
- Mini circuit breaker locks are made from Nylon. A safe and effective method for locking out miniature circuit breakers, commonly used in European and Asian b) equipment.
- Lock with our Safety Padlocks. c)
- Devices can support padlocks with a shackle diameter up to 9/32" (7mm). d)
- Easily to be installed with a push button, no tools needed. Used for single and multi-pole circuit breakers. e)
- f)

| ITEM | DESCRIPTION | CIRCUIT BREAKER LOCKOUT |
|--------|----------------|-------------------------|
| CB-01 | 45mmx25mmx10mm | |
| CB-01N | 45mmx25mmx7mm | |
| | 45MM | 7MM |



25MM

- a)
- b)
- Made from engineering plastic strengthened nylon PA. Lock out different types of circuit breakers. Fits on breaker toggles and can be tightened using screwdriver. c)

LILY

02

CIRCUIT BREAKER LOCKOUT

| CIRCUIT BREAKER LOCKOUT | ITEM | DESCRIPTION |
|-------------------------|---------|----------------|
| | CB-01-S | 45mmx25mmx10mm |
| elmm Google | | |

| ITEM | DESCRIPTION | CIRCUIT BREAKER LOCKOUT |
|-----------|----------------|-------------------------|
| CB-02-S | 55mmx26mmx19mm | |
| CB-02-S-H | 55mmx33mmx19mm | |
| ~ | | Ф10mm |



- a)
- b)
- Made from engineering plastic strengthened nylon PA. Lock out different types of circuit breakers. Fits on breaker toggles and can be tightened without tools. c)

| CIRCUIT BREAKER LOCKOUT | ITEM | DESCRIPTION |
|-------------------------|---------|---|
| φ8mm | CB-03 | Suitable for Circuit breakers with handle width =<5mm |
| 262 | CB-03-S | Suitable for Circuit breakers with handle width =<5mm (without tools) |
| | CB-04 | Suitable for Circuit breakers with handle width =<5mm |
| fomm 6mm | CB-04-S | Suitable for Circuit breakers with handle width =<5mm (without $tools$) |
| СВ-03 | CB-06 | Suitable for Circuit breakers with handle width =<12mm |
| ¢8mm | Ф8.5mm | mm \$48.5mm \$10000 \$1000 \$1000\$ |
| CB-03-S | CB-04 | CB-04-S CB-06 |

Made from engineering plastic strengthened nylon PA. Lock out different types of circuit breakers. a)

b)



CIRCUIT BREAKER LOCKOUT

| LOCKOUT TAGOUT | |
|----------------|--|
| SECURITY SOLUT | |

LILY

02

| ITEM | DESCRIPTION | CIRCUIT BREAKER LOCKOUT |
|-------|--|-------------------------|
| CB-07 | For 120-277V breaker lockouts, handle width =<17mm | |
| CB-08 | For 480-600V breaker lockouts, handle width =<42mm | CB-07 |
| CB-09 | For 480-600V breaker lockouts, handle width =<72mm | |



- a)
- Made from rugged polypropylene and impact modified nylon. Can be used with lockout cleats in the bottom for hard locking long sliding switches and switches with large b) angular rotation.
- C)
- It can be easily operated without any tools. Accepts padlock shackles up to 9/32" (7.5 mm) in diameter. d)

| CIRCUIT BREAKER LOCKOUT | ITEM | DESCRIPTION |
|-------------------------|-------|----------------|
| | CB-14 | 7mm=< a =<15mm |
| 49mm | | |

- a)
- b)
- Made from engineering plastic strengthened nylon PA. Self-locking screws, easy to lock without tools. Wide range of uses: Suitable for all kinds of miniature circuit breakers (handle width =<15mm). c)









- Grip Tight Circuit Breaker Lockout with simple thumb turn for standard and double toggles breaker toggle a) lock out.
- Max clamping 12mm, to lock out most circuit breakers. b)
- c)
- Material: Die-casting aluminum alloy & Nylon PA & metal spray. Fit standard height and tie-bar toggles typically found on 120/240V circuit breakers. Adjust to breaker with a simple thumb turn and then close clamping. d)
- e)
- f) Handle and lock cover to prevent clamp from being loosened.
- Features: Raw material: Made from Die-cast aluminum alloy & nylon & ABS, The surface sprays metal, high strength and corrosion resistance, suitable for various harsh working environments. g)
- Applied size: Accepts lock shackles up to 9/32" in diameter. h)
- i) Usage: Large circuit breaker lockouts are easy to install using patented thumbscrew design no screwdrivers needs.
- Production features: Simply tighten lockouts security onto switch tongue, pull over thumb screw and lock j) cover to prevent clamp from being loosened.
- Easy installation: With locking screws, can be used without tools, the hand wheel with screw thread is more k) comfortable and labor-saving, and is more convenient to use. Serrated design: The inside of the lock body adopts a lot of serrated design, which is more tightly interlocked
- I) with the handle of the circuit breaker, it is not easy to fall off in use and ensures the effectiveness of locking.

| | ІТЕМ | DESCRIPTION | CIRCUIT BREAKER LOCKOUT |
|---|-------|--|-------------------------|
| (| CB-30 | Tie-Bar Toggles Grip Circuit Breaker Lockout for Locking Out Multi- Pole Breakers | |
| | | | |

- Locks out most miniature circuit breakers a)
- b) Made from durable ABS and glass fiber, temperature resistance -20°C to +100°C.
- Miniature circuit breakers with a lock hole distance of 13 mm. c)
- d) Accepts lock shackles up to 9/32 (7.5mm) in diameter.
- Can lock out one or multiple connections with mini circuit breaker lockout apply to most switches on the e) market.
- No need to consider if the circuit breaker has a pinhole, much less than the space between two pinholes. Can lock out the off position of switch, The manual adjustment for locking is convenient and efficient. f)
- g) h)
- Compact size allows for locking out adjacent breakers, suitable for locking out multi-pole breakers and works with most tie-bar toggles.





LOCKOUT TAGOUT SECURITY SOLUTIONS

i) Comes with a locking screw, you can easily lock without using other locking tools, slotting allows screwdriver adjustment.

02

- Can take a padlock with shackle diameter up to 9.3mm.
- j) k) Easy to install: The lock attached with hand wheel type fastening screw. It can be locked manually without tools. And the circuit breaker locking device can be fixed on the motor protection switch by tightening the
- bending screw, and then the insulation padlock can be hung to prevent the clamping device from loosening. Design: The internal design of the lock body adopts the clamp type design, which is more closely engaged with the handle of the circuit breaker and is not easy to fall off in the process of use. To ensure the effectiveness of the lock and tag to a greater extent. I)
- m) Ready to use: It can be used to lock the handle of miniature circuit breaker. When the external rotating screw is rotated, the screw can be firmly connected to the shell, and the circuit breaker switch can be prevented from touching.



SAFETY VALVE LOCKOUT



03 **SAFETY VALVE LOCKOUT**

| GATE VALVE LOCKOUT | ALVE LOCKOUT ITEM DESCRIPTION | | | В | С |
|--------------------|--|---|-----|----|-----|
| A | GV-01 | Suitable for valve handle 1" to 2 $\frac{1}{2}$ " (25mm-64mm) in diameter | 80 | 36 | 20 |
| | GV-02 Suitable for valve handle 21/2" to 5" (64mm-127mm) in diameter | | 142 | 46 | 45 |
| CA ZO | GV-03 | Suitable for valve handle 5" to 6 1/2" (127mm-165mm) in diameter | 184 | 53 | 63 |
| | GV-04 | Suitable for valve handle 6 1/2" to 10" (165mm-254mm) in diameter | 280 | 76 | 89 |
| | GV-05 | Suitable for valve handle 10" to 13" (254mm-330mm) in diameter | 364 | 76 | 105 |
| | GV-06 | Suitable for valve handle 13" to 18" (330mm-450mm) in diameter | 457 | 75 | 123 |



- Made from durable ABS. a)
- b) Once locked, it covers around the hand wheel and prevent the valve wheel from being turned.

LOCKOUT TAGOUT

LILY

c) d) Accept up to 1 padlock, locking shackle max diameter 7mm. Available in 6 sizes and red color, other colors can be customized, providing English tag.



- Made from durable ABS. a)
- b)
- Can be equipped together with padlocks. Padlock loc king shackle max diameter 3/8" (10mm). Can be covered and rotated freely around valve wheel, and adjustable to fit a range of valve handles. c)



| | LOCKOUT TAGOUT SECURITY SOLUTIO | ONS | 03 | SAFETY VALVE LOCKOUT |
|-------|--------------------------------------|--------|---|--|
| BALI | L VALVE LOCKOUT | ITEM | | DESCRIPTION |
| | | SBV-01 | | Suitable for pipe ¼" to 1" in diameter |
| | *LOmm | LBV-01 | LBV-01 Suitable for pipe 1 ½" to 3" in diameter | |
| 115mm | E2mm F5mm F5mm F5mm F5mm | | | |

- Made from hardened steel, surface treatment by high temperature spraying, rust proof. The single-piece design locks can quarter-turn ball valves in off position. Used on ball valve sizes from 1/4" (6.35mm) to 3" (76.2mm), hole diameter is 10mm. a)
- b) c)
- d) Red, other colors can be custom made.

| ITEM | DESCRIPTION | BALL VALVE LOCKOUT |
|---------|--|--|
| ASBV-01 | Suitable for pipe $1/2$ " to 2 $\frac{1}{2}$ " in diameter | 164mm |
| ALBV-01 | Suitable for pipe 2" to 8" in diameter | 1 and 1 and 1 and |
| | | THUR THE |



- Made from durable ABS, highly resistant to cracking and abrasion and supports extreme weather a) temperature conditions.
- The two halves of the lockout encompass the ball valve handle to secure it from inadvertent activation of the b) valve handle. Suggested being equipped together with padlocks with max clamping shackle diameter of 8mm.
- c)

| BUTTERFLY VALVE LOCKOUT | ITEM | DESCRIPTION | |
|-------------------------|--------|--|--|
| | BUV-01 | Suitable for pipe ¼" to 1" in diameter | |
| BRman BRman | | a) Made from PP. b) Good chemical property, resistant to oil stains and chemical product corrosion. c) Can be covered and rotated freely around valve wheels and adjustable to fit all ranges of valves handles. | |



CABLE LOCKOUT





04

CABLE LOCKOUT

| ITEM | DESCRIPTION | ADJUSTABLE CABLE LOCKOUT |
|---------|-----------------------------|--------------------------|
| AC-01-1 | Cable die: 4mm, Length:1.8m | |
| AC-01-2 | Cable die: 6mm, Length:1.8m | (DANGER) |
| | | DO NOT |

- a)
- Lock body: made of ABS, withstands chemicals. Cable: tough, flexible multi-stranded steel cable, with clear plastic insulation coating. b)
- c) d)
- e) f)
- Cable length can be customized. Accepts up to 4 padlocks for multiple lockout application. Includes high-visibility, re-usable, write-on safety labels. Can be customized. Ideal for locking out multiple circuit breaker panels and side-by-side gate valve lockout.

| ADJUSTABLE CABLE LOCKOUT | ITEM | DESCRIPTION |
|--------------------------|-------|-------------------------------|
| | AC-02 | Cable die: 3.5mm, Length:2.4m |
| | | |

- a)
- Lock body: made of glass-filled nylon, withstands chemicals. Cable: tough, flexible multi-stranded steel cable, with clear plastic insulation coating. b)
- c) d)
- Cable length can be customized. Accepts 1 padlock to lock out. Can be equipped together with hasps for multiple lockout usage. e)


| ITEM | DESCRIPTION | WHEEL CABLE LOCKOUT |
|-------|-----------------------------|---------------------|
| AC-03 | Cable die: 3.8mm, Length:2m | |
| | | |

🔶 LILY



CABLE LOCKOUT

- a)
- Lock body: made from industrial durable nylon, and insulation coated steel cable. Designed to effectively lock out a variety of isolation points, including gate valves, "T" valve handles, electrical disconnects, and much more. b)
- c)
- d) The handle is designed to operate the device without any tools needed.
- Cable length can be customized. e)
- f) Accepts up to 8 padlocks for multiple lockout applications.



- Lock body: made from ABS, with insulation plastic coated steel cable. a)
- Accepts up to 6 padlocks for multiple lockout applications. Cable length and color can be customized. b)
- C)
- d) Includes high-visibility, re-usable, write-on safety labels. The length of labels can be customized.

| ITEM | DESCRIPTION | ECONOMIC CABLE LOCKOUT |
|-------|-------------------------------|------------------------|
| AC-05 | Cable die: 3.5mm, Length:2.4m | |
| | | |

- Lock body: made from nylon, with an insulation plastic coated steel cable. Non-slip design fits man's hand shape. Very convenient to be used. a)
- b)
- c) Cable length and color can be customized.
- Accepts up to 6 padlocks for multiple lockout application labels can be customized. d)
- e) Includes high-visibility, re-usable, write-on safety. The length of labels can be customized.




CABLE LOCKOUT

| ECONOMIC CABLE LOCKOUT | ITEM | DESCRIPTION |
|------------------------|--------|---------------------------|
| | AC-06 | Cable die: 3mm, Length:2m |
| | AC-06S | Cable die: 3mm, Length:2m |
| | | |

- a) Lock body: made from nylon, with an insulation plastic coated steel cable.
 b) Non-slip design fits man's hand shape. Very convenient to use.
 c) Cable length and color can be customized.
 d) Accepts up to 5 padlocks for multiple lockout application labels can be customized.
- e) Includes high-visibility, re-usable, write-on safety. The length of labels can be customized.



ELECTRICAL LOCKOUT




890

LILY

| | ITEM | DESCRIPTION | ELECTRICAL LOCKOUT |
|---|--------|----------------------------------|--------------------|
| | EP-01S | For small plugs, 110V plugs | |
| EP-01M For medium plugs, 220V plugs | | Ø11mm Provint | |
| EP-01L For large plugs, 220V/500V plugs | | 51mm | |
| | EP-02 | For large plugs, 220V/500V plugs | 51mm |

05






- a) b) c) d)
- Made from rugged ABS. Prevent plugs from being into the wall outlet, suitable for all kinds of industrial plugs. The plug completely sits inside the unit with the cable being fed through an access hole inside. Can be locked with 2-4 padlocks, lock shackle diameter up to 7mm.




LOCKOUT HASP





| ITEM | DESCRIPTION | STEEL LOCKOUT HASP |
|-------|---|--------------------|
| HS-01 | Jaw size 1" (25mm), accept up to 6 padlocks | · Samu |
| HS-02 | Jaw size 1 1/2" (38mm), accept up to 6 padlocks | |

- a) The handle is made from PA, and lock shackle is made from nickel plated steel with red plastic or vinyl coated body, rust proof.
 b) Allow multiple padlocks to be used when isolating one energy source.
 c) Lock holes:10.5mm diameter.
 d) Jaw size:1"(25mm) & 1.5" (38mm)
 e) Colors of handle can be customized.



| INSULATION LOCKOUT HASP | ITEM | DESCRIPTION |
|-------------------------|------------------------|--|
| TA | HN-01 | Overall size: 43.5X175mm, accept up to 6 padlocks |
| 4mm Strum Zgmm | characte c) Allow m | om Non-conductive nylon. ic lockout hasps have exceptional electrical insulating eristics. ultiple padlocks to be used at each lockout point. equipment inoperative while repairs or adjustments are |

| ITEM | DESCRIPTION | INSULATION LOCKOUT HASP |
|---------|---|-------------------------|
| HN-02 | Overall size: 40X115mm, accept up to 3 padlocks | |
| HN-02-B | Overall size: 50X115mm, accept up to 6 padlocks | . 46.5mm |

- a) Made from PP.b) Non-conductive Non-conductive body, applied to lock out electric power isolations with high requirements on corrosive or explosion-proof places. Allow multiple padlocks to be used when isolating one energy source. Usage: pull and press the side.
- c) d)





40mm

| INSULATION LOCKOUT HASP | ITEM | DESCRIPTION |
|-------------------------|-------|--|
| • | HN-03 | Overall size: 61X107mm, shackle diameter 3mm |
| | HN-04 | Overall size: 61X107mm, shackle diameter 6mm |
| ©7mm 6:mm 6:mm | | |

- a)
- The lock body is made of ABS, and the shackle is made of PA. Non-conductive body, applied to lock out electric power isolations with high requirements on corrosive or b) explosion-proof places.
- With 3mm or6mm shackle diameter available. c)

| ITEM | DESCRIPTION | ECONOMIC STEEL LOCKOUT HASP |
|--------|---|--------------------------------|
| FHS-01 | Jaw size 1" (25mm), accept up to 6 padlocks | mm2 |
| FHS-02 | Jaw size 1 1/2" (38mm), accept up to 6 padlocks | |
| | | |

- Made from durable steel with red plastic or vinyl coated body, rust proof. It can be locked out by multiple workers on a single energy point, a)
- b)
- c)
- by attaching devices on the equipment. Lock holes: 12mm diameter. Jaw size: 1"(25mm) & 1.5" (38mm) d)

DO NOT


OPERATE

| ALUMINUM SNAP-ON LOCKOUT HASP | ITEM | DESCRIPTION |
|----------------------------------|-------|-----------------------------|
| | HA-02 | Overall size: 175X73X8.3 mm |

- Spring type bayonet, more convenient to use. a)
- The main body is anodized aluminum, and the inside is made of stainless steel. Which is more corrosion resistant. bĺ
- c) Aluminum alloy has the characteristics of low density good mechanical properties, good processing properties, non-toxic, easy to recycle, electrical conductivity, heat transfer and corrosion resistance.
- d) Multi-manager.
- e) Handwritten security label.



LOCKOUT TAG & SCAFFOLD TAG



LOCKOUT TAGS

LILY

07

| ITEM | DESCRIPTION | LOCKOUT TAG |
|--------|--|--------------|
| LT-01 | 75mm(W)X146mm(H), 0.5mm Thickness, English | |
| LT-02 | 75mm(W)X146mm(H), 0.5mm Thickness, English | |
| LT-02A | 75mm(W)X146mm(H), 0.5mm Thickness, Arabic | |
| LT-02C | 75mm(W)X146mm(H), 0.5mm Thickness, Chinees | DANG DANG |
| LT-03C | 75mm(W)X146mm(H), 0.5mm Thickness, Chinees | |
| LT-04C | 75mm(W)X146mm(H), 0.5mm Thickness, Chinees | |





- a) Made from PVC material.
 b) Can be written by erasable pen.
 c) Use with padlock to remind you that the device has been locked out and cannot be operated. It can only be opened by the one who locks it.
 d) On tag, you can see "danger /Do not operate/Caution security warning language and "name /department/date "etc blank for you to fill in.
 e) Other wording and design can be customized.

| | TAGS-ON-A-ROLL | ITEM | DESCRIPTION |
|--|----------------|-----------------------------------|--|
| | | LT-ROL | 80mm(W)X160mm(H), 0.25mm Thickness, English 100 TAGS/ROLL |
| | | b) Tear R c) 10mm d) 100 Ta | from PVC material, durable using. Resistant Punched ags per roll. ors available, (white, red, green, yellow) |



LOCKOUT TAGS

LILY

07

| ITEM | DESCRIPTION | SCAFFOLDING TAGS |
|--------|--|------------------|
| KT-01T | Tag size: 210mmX85mm, 0.5mm Thickness | |
| KT-01H | Holder size: 309mmX92mm, diameter:60mm | () |
| | | |







- a) b)
- c) d)
- Made from ABS. Provides system, procedural and legal compliance for scaffolds on work sites. Provides a clear inspection trail giving integrity and control of work carried out. The tags are available in three durable write-on materials, providing highly visual. and eye-catching information. Each with a scaffold tag holder and a tag. The tags can be customized.
- e) f)

| MARK PEN | ITEM | DESCRIPTION |
|----------|--------------------|--|
| | ETP-O1 | Black marker, repeatable |
| ETP-01 | f) Used g) Used | on the PVC. cloth and paper to erase the script that the pen written. |



ULLY

| KEY TAGS | ITEM | DESCRIPTION |
|----------|------------------------------------|---|
| 0 | ETP-O2 | RED, GREEN, YELLOW |
| ETP-02 | h) Made i) Comes j) All colo | from PE material, durable using. s with a writable white paper inside. ors available. |



LOCKOUT BOX & BAG LOCKOUT STATION & KIT



| PORTABLE GROUP LOCKOUT BOX | ITEM | DESCRIPTION |
|------------------------------------|--|--|
| | GL-01 | 230 mm (W) x 155mm(H) x 90 mm(D), Red color |
| LOCK BOX LOCK OUT FOR SAFETY | b) Several c) can accord d) Can be several | om surface high temperature spraying plastic treatment te and stainless-steel nylon handle. people can lock the important parts at the same time, ommodate 12 padlocks. used as mini portable lockout box, can accommodate tagout, hasp, mini lockout etc. el message in English. Other langue can be custom made. |

| ITEM | DESCRIPTION | PORTABLE GROUP LOCKOUT BOX |
|-------|---|----------------------------|
| GL-02 | 230 mm (W) x 155mm(H) x 90 mm(D), Red color | |

- a) Made from surface high temperature spraying plastic treatment steel plate and stainless-steel nylon handle.
 b) Several people can lock the important parts at the same time,
 c) can accommodate 13 padlocks.

- d) Can be used as mini portable lockout box, can accommodate several tagout, hasp, mini lockout etc.
- e) The label message in English. Other langue can be custom made.



| PORTABLE GROUP LOCKOUT BOX | ITEM | DESCRIPTION |
|----------------------------|--------|--|
| | GL-03Y | 230 mm (W) x 155mm(H) x 90 mm(D), Yellow color |
| | GL-03R | 230 mm (W) x 155mm(H) x 90 mm(D), Red color |
| LOCK BOX | LO | CK BOX sour for Safety |

- a) Made from surface high temperature spraying plastic treatment steel plate and stainless-steel nylon handle.
- Several people can lock the important parts at the same time, b)
- can accommodate 12 padlocks. c)
- Can be used as mini portable lockout box, can accommodate several tagout, hasp, mini lockout etc. d)
- e) The label message in English. Other langue can be custom made.





| ITEM | DESCRIPTION | | | PORTABLE GROUP LOCKOUT BOX |
|---|----------------|-----------------|-----------------|----------------------------|
| PGL-01 | 410 ı | mm (W) x 190mm(| (H) x 185 mm(D) | - |
| a) Made of coated iron and engineering plastic P b) Warning words can be customized. | | | | |
| PORTABLE GROU | JP LOCKOUT BAG | ITEM | DE | SCRIPTION |

TLB-01



LOCKOUT TAGOUT

LILY

Made from durable waterproof nylon fabric.

a) b) Can custom make the sign on the lockout bag surface.

LOCKOUT KIT

c) With easy carrying hand straps and a shoulder strap.

350mm(L)X230mm(H)X210mm(W)

| ITEM | DESCRIPTION | PORTABLE GROUP LOCKOUT BAG |
|--------|---------------------------|----------------------------|
| TLB-02 | 200mm(L)X130mm(H)X55mm(W) | |
| | | |

- a)
- Made from water resistant polyester cloth. Lightweight and easy to carry or wear with the adjustable waist straps. b)
- Can customize the sign on the lockout bag c) surface.

| PORTABLE GROUP LOCKOUT BAG | ITEM | DESCRIPTION |
|----------------------------|--------|----------------------------|
| | TLB-03 | 280mm(L)X300mm(H)X80mm(W) |
| | TLB-04 | 240mm(L)X160mm(H)X100mm(W) |
| LOCKOUT TAGOUT | TLB-05 | 250mm(L)X200mm(H)X120mm(W) |
| | TLB-06 | 350mm(L)X300mm(H)X150mm(W) |



Made from water resistant polyester cloth. a)

^{lockout} kit

- b)
- Lightweight and easy to carry. Can customize the sign on the lockout bag c) surface.





08


| ITEM | DESCRIPTION | PORTABLE PADLOCK STATION |
|-------|---|--------------------------|
| PF-01 | Can carry up to 12 padlocks at the same time. | |
| | | |

- a) Made from injected engineering plastic reinforced nylon.
- Labels are available. b)
- c) Can carry up to 12 padlocks at the same time.





| METAL PADLOCK STATION | ITEM | DESCRIPTION |
|-----------------------|---------|--|
| | S/SF-01 | 140mm(L)x40mm(W)x80mm(H), can accommodate 5 padlocks. |
| PADLOCK STATION | S/SF-02 | 270mm(L)x40mm(W)x80mm(H), can accommodate 10 padlocks. |
| | S/SF-03 | 400mm(L)x40mm(W)x80mm(H), can accommodate 15 padlocks. |
| | S/SF-04 | 530mm(L)x40mm(W)x80mm(H), can accommodate 20 padlocks. |



- a) Made from heavy duty steel with durable powder coat finish, which ensures long life in manufacturing facilities.
 b) English warning label. Other language can be support the standard standar
- custom made.

| ITEM | DESCRIPTION | MANAGEMENT LOCKOUT STATION |
|--------|----------------------------|----------------------------|
| GLC-01 | 410mm(W)x315mm(H) x65mm(D) | |
| GLC-02 | 565mm(W)x400mm(H) x65mm(D) | LOCKOUT STATION 5 |
| | CCKOUT STATION 6 | ааан н |
| | | |
| | | GLC-01 |

- a) Made from engineering plastic PC.
 b) It's one-piece design, with a cover to lock out.
 c) Can accommodate padlocks, hasps, lockout tags etc.
 d) There's a lockable combination padlock hole for locking out to limit access to authorized employees.

GLC-02



| LOCKOUT TAGOUT LILY SECURITY SOLUTIONS | | 08 | LOCKOUT STATION |
|---|---------|---------------------------------|-------------------------------|
| MANAGEMENT LOCKOUT STATION | | | DESCRIPTION |
| TORYOUT STATION | M-S11 | 34 | 3mm(W)x343mm(H), 10 keys hole |
| LOCKOUT STATI | M-S12 | 295mm(W)x595mm(H), 20 keys hole | |
| · · · · · · · · · · · · · · · · · · · | M-S13 | 59 | 7mm(W)x546mm(H), 36 keys hole |
| LOCKOUT | LOCKOUT | LOCKOUT STATIO | |
| | - | and the second | |

- a) The board is made of light and durable acrylic, without cover. It is made of 4.8mm thick bright yellow acrylic with acrylic lock rails. Tag pockets are made of clear polycarbonate and can hole up to 30 tags.
- It can accommodate padlocks, hasps, and tags. Easy to install, with 4 screw fixing holes, station will be fixed firmly. Snap-in design make mobile box and b) c)
- tag box easy to install and disassemble. d) Install and match, station can effectively manage the company's lockout, safer and more convenient.

| ITEM | DESCRIPTION | MANAGEMENT LOCKOUT STATION |
|-------|----------------------------|----------------------------|
| M-S15 | 560mm(W)x460mm(H) x70mm(D) | |
| | | LOCKOUT STATION |

- a)
- Steel stamping molding, surface high-temperature spray treatment. 30 padlock positions, each padlock position can hold 2 padlocks or b) 2 hasps.
- c) Large capacity to ensure lockout device properly stored and always accessible when needed.
- d) Can be customized made non-perspective panel, visual window convenient for better use and helps with dust-proof.

| MANAGEMENT LOCKOUT STATION | ITEM | DESCRIPTION |
|----------------------------|-------|----------------------------|
| | M-S16 | 360mm(L)x450mm(H)x155mm(W) |



- a) lock station can accommodate several padlocks, valve lockout, hasp, tag etc.
- suitable for factory lockout items management. b)
- The station is multifunctional for all kinds of lockouts, especially for c) departmental usage, there is two adjustable separators which can allocate spaces easily.



| | LOCKOUT- TAGOUT KITS | | |
|----------|--|--|--|
| KIT CODE | PICTURE | DESCRIPTION / ITEMS | |
| GLC-01F | LOCKOUT STATION | SAFETY PADLOCK STATION WITH DUST PROOF TRANSPARENT COVER FOR INDUSTRIAL LOCKOUT-TAGOUT Includes: 1 x MANAGEMENT LOCKOUT STATION (GLC-01) 8 x 38MM SAFETY PADLOCK (S/S38-KD) 1 x 1" LOCKOUT HASP (HS-01) 1 x 1 ½" LOCKOUT HASP (HS-02) 10 x LOCKOUT TAG (LT-02) | |
| GLC-02F | | SAFETY PADLOCK STATION WITH DUST PROOF TRANSPARENT COVER FOR INDUSTRIAL LOCKOUT-TAGOUT Includes: 1 x MANAGEMENT LOCKOUT STATION (GLC-02) 20 x 38MM SAFETY PADLOCK (S/S38-KD) 2 x 1" LOCKOUT HASP (HS-01) 2 x 1 ½" LOCKOUT HASP (HS-02) 20 x LOCKOUT TAG (LT-02) | |
| M-S11F | IN THE REPORT OF | COMBINATION SAFETY LOCKOUT STATION BOARD WALL-MOUNTED LOCKOUT KIT Includes: 1 × MANAGEMENT LOCKOUT STATION (M-S11) 10 × 38MM SAFETY PADLOCK (S/S38-KD) 2 × 1" LOCKOUT HASP (HS-01) 2 × 1" LOCKOUT HASP (HS-01) 2 × 1 ½" LOCKOUT HASP (HS-02) 10 × LOCKOUT TAG (LT-02) 10 × LOCKOUT TAG (LT-02) | |
| M-S12F | | COMBINATION SAFETY LOCKOUT STATION BOARD WALL-MOUNTED LOCKOUT KIT Includes: 1 x MANAGEMENT LOCKOUT STATION (M-S12) 20 x 38MM SAFETY PADLOCK (S/S38-KD) 2 x 1" LOCKOUT HASP (HS-01) 2 x 1" LOCKOUT HASP (HS-01) 2 x 1 ½" LOCKOUT HASP (HS-02) 20 x LOCKOUT TAG (LT-02) 20 x LOCKOUT TAG (LT-02) | |
| M-S13F | | COMBINATION SAFETY LOCKOUT STATION BOARD WALL-MOUNTED LOCKOUT KIT Includes: 1 x MANAGEMENT LOCKOUT STATION (M-S13) 36 x 38MM SAFETY PADLOCK (S/S38-KD) 2 x 1" LOCKOUT HASP (HS-01) 2 x 1 "LOCKOUT HASP (HS-02) 36 x LOCKOUT TAG (LT-02) | |





| LOCKOUT- TAGOUT KITS | | | | |
|----------------------|------------|---|--|--|
| KIT CODE | PICTURE | DESCRIPTION / ITEMS | | |
| M-S15F | | 30-BIT WALL-MOUNTED TAGOUT LOCKOUT SOLUTION LOCK STATION LOTO BOX KITS SAFETY PADLOCK STATION Includes: 1 x MANAGEMENT LOCKOUT STATION (M-S15) 48 x 38MM SAFETY PADLOCK (S/S38-KD) 6 x 1" LOCKOUT HASP (HS-01) 6 x 1 ½" LOCKOUT HASP (HS-02) | | |
| ELK-01 | LOCKOUT NT | PORTABLE LOCKOUT TAGOUT WATERPROOF BAG ELECTRICAL KIT TOOL BAG Includes: 1 x PORTABL BAG (TLB-02) 2 x 38MM SAFETY PADLOCK (S/S38-KD) 1 x 1" LOCKOUT HASP (HS-01) 1 x LOCKOUT HASP (HS-01) 5 x LOCKOUT TAG (LT-02) CIRKUIT BREAKER LOCKOUT (1 X MCPO) + (1 X MCPI) + (1 X MCPOW) + (1 X MCT) + (1 X CB-2S) + (1 X CB-08) + (1 X CB-09) + (1 X CB-14) | | |
| ELK-02 | | PORTABLE LOCKOUT TAGOUT WATERPROOF BAG ELECTRICAL KIT TOOL BAG Includes: 1 × PORTABL BAG (TLB-05) 2 × 38MM SAFETY PADLOCK (S/S38-KD) 1 × 1" LOCKOUT HASP (HS-01) 1 × 1 1/2" LOCKOUT HASP (HS-02) 1 × LOCKOUT HASP (HS-02) 1 × LOCKOUT TAG (LT-02) 10 × CABLE TIE CIRKUIT BREAKER LOCKOUT (1 × MCPO) + (1 × MCPI) + (1 × MCPOW) + (1 × MCT) + (1 × CB-2S) + (1 × CB-08) + (1 × CB-09) + (1 × CB-14) | | |
| ELK-03 | LOCKOUT | PORTABLE LOCKOUT TAGOUT WATERPROOF BAG ELECTRICAL KIT TOOL BAG Includes: 1 x PORTABL BAG (TLB-06) 2 x 38MM SAFETY PADLOCK (S/S38-KD) 2 x 76MM SAFETY PADLOCK (S/S76-KD) 2 x 1" LOCKOUT HASP (HS-01) 2 x 1 1/2" LOCKOUT HASP (HS-02) 2 x LOCKOUT HASP (HN-01) 10 x LOCKOUT TAG (LT-02) 1 x CABLE LOCKOUT (AC-03) 1 x CABLE LOCKOUT (AC-04) 1 x PLUG LOCKOUT (EP-01L) 20 x CABLE TIE CIRKUIT BREAKER LOCKOUT (2 X MCPO) + (2 X MCPI) + (2 X MCPOW) + (1 X MCT) + (2 X CB-2S) + (1 X CB-08) + (1 X CB-09) + (1 X CB-14) | | |



UILY

| LOCKOUT- TAGOUT KITS | | | | |
|----------------------|---------|---|--|--|
| KIT CODE | PICTURE | DESCRIPTION / ITEMS | | |
| ELK-04 | | PORTABLE LOCKOUT TAGOUT BOX ELECTRICAL KIT TOOLBOX Includes: 1 x PORTABL BAG (PGL-01) 2 x 38MM SAFETY PADLOCK (S/S38-KD) 2 x 76MM SAFETY PADLOCK (S/S76-KD) 2 x 1" LOCKOUT HASP (HS-01) 2 x 1 1/2" LOCKOUT HASP (HS-02) 2 x LOCKOUT HASP (HS-02) 2 x LOCKOUT HASP (HN-01) 10 x LOCKOUT TAG (LT-02) 1 x CABLE LOCKOUT (AC-03) 1 x CABLE LOCKOUT (AC-04) 1 x PLUG LOCKOUT (AC-04) 1 x PLUG LOCKOUT (EP-01L) 20 x CABLE TIE CIRKUIT BREAKER LOCKOUT (2 X MCPO) + (2 X MCPI) + (2 X MCPOW) + (1 X MCT) + (2 X CB-2S) + (1 X CB-08) + (1 X CB-09) + (1 X CB-14) | | |
| MEK-01 | | PORTABLE LOCKOUT TAGOUT WATERPROOF BAG MECHANICAL KIT TOOL BAG Includes: 1 x PORTABL BAG (TLB-01) 2 x 38MM SAFETY PADLOCK (S/S38-KD) 2 x 1" LOCKOUT HASP (HS-01) 1 x CABLE LOCKOUT (AC-01) 1 x CABLE LOCKOUT (AC-02) 1 x GATE VALVE LOCKOUT (GV-01) 1 x GATE VALVE LOCKOUT (GV-02) 1 x GATE VALVE LOCKOUT (GV-03) 1 x GATE VALVE LOCKOUT (GV-01) 1 x GATE VALVE LOCKOUT (ASPU-01) | | |
| MEK-02 | | PORTABLE LOCKOUT TAGOUT WATERPROOF BAG MECHANICAL KIT TOOL BAG Includes: 1 x PORTABL BAG (TLB-01) 2 x 38MM SAFETY PADLOCK (S/S38-KD) 2 x 76MM SAFETY PADLOCK (S/S76-KD) 2 x 1" LOCKOUT HASP (HS-01) 2 x 1 1/2" LOCKOUT HASP (HS-02) 10 x LOCKOUT TAG (LT-02) 1 x CABLE LOCKOUT (AC-03) 20 x CABLE TIE 1 x GATE VALVE LOCKOUT (GV-01) 1 x GATE VALVE LOCKOUT (GV-04) | | |
| MEK-03 | | PORTABLE LOCKOUT TAGOUT WATERPROOF BAG MECHANICAL KIT TOOL BAG Includes: 1 x PORTABL BAG (TLB-01) 1 x CABLE LOCKOUT (AC-02) 1 x CABLE LOCKOUT (AC-02) 1 x GATE VALVE LOCKOUT (GV-01) 1 x GATE VALVE LOCKOUT (GV-02) 1 x GATE VALVE LOCKOUT (GV-03) 1 x GATE VALVE LOCKOUT (AGV-01) 1 x BALL VALVE LOCKOUT (ASBV-01) | | |







| LOCKOUT- TAGOUT KITS | | | | |
|----------------------|---------|---|--|--|
| KIT CODE | PICTURE | DESCRIPTION / ITEMS | | |
| GNK-01 | | PORTABLE LOCKOUT TAGOUT BAG GENERAL KIT TOOL BAG Includes: 1 × PORTABL BAG (TLB-05) 1 × 38MM SAFETY PADLOCK (S/S38-KD) 1 × 76MM SAFETY PADLOCK (S/S76-KD) 1 × 76MM SAFETY PADLOCK (S/S76-KD) 1 × 1" LOCKOUT HASP (HS-01) 1 × 1 1/2" LOCKOUT HASP (HS-02) 5 × LOCKOUT TAG (LT-02) 10 × CABLE TIE 1 × GATE VALVE LOCKOUT (GV-01) CIRKUIT BREAKER LOCKOUT (1 X MCPO) + (1 X MCPI) + (1 X MCPOW) + (2 X CB-2S) | | |
| GNK-02 | | PORTABLE LOCKOUT TAGOUT BAG GENERAL KIT TOOL BAG Includes: 1 × PORTABL BAG (TLB-06) 2 × 38MM SAFETY PADLOCK (S/S38-KD) 2 × 76MM SAFETY PADLOCK (S/S76-KD) 2 × 1" LOCKOUT HASP (HS-01) 2 × 1 1/2" LOCKOUT HASP (HS-02) 2 × LOCKOUT HASP (HS-02) 2 × LOCKOUT HASP (HN-01) 10 × LOCKOUT TAG (LT-02) 1 × CABLE LOCKOUT (AC-02) 1 × PLUG LOCKOUT (AC-02) 1 × PLUG LOCKOUT (AGV-01) 1 × GATE VALVE LOCKOUT (AGV-01) 1 × BALL VALVE LOCKOUT (AGV-01) 20 × CABLE TIE CIRKUIT BREAKER LOCKOUT (1 X MCPO) + (1 X MCPI) + (1 X MCPOW) + (1 X MCT) + (1 X CB-2S) + (1 X CB-08) | | |
| GNK-03 | | PORTABLE LOCKOUT TAGOUT BOX GENERAL KIT TOOLBOX Includes: 1 × PORTABL BAG (PGL-01) 2 × 38MM SAFETY PADLOCK (S/S38-KD) 2 × 76MM SAFETY PADLOCK (S/S76-KD) 2 × 1" LOCKOUT HASP (HS-01) 2 × 1 1/2" LOCKOUT HASP (HS-02) 1 × LOCKOUT HASP (HN-01) 10 × LOCKOUT TAG (LT-02) 1 × CABLE LOCKOUT (AC-01-2) 1 × CABLE LOCKOUT (AC-01-2) 1 × CABLE LOCKOUT (AC-04) 1 × PLUG LOCKOUT (EP-01L) 1 × GATE VALVE LOCKOUT (ASV-01) 1 × BALL VALVE LOCKOUT (ASV-01) 20 × CABLE TIE CIRKUIT BREAKER LOCKOUT (1 × MCPO) + (1 × MCPI) + (1 × MCPOW) + (1 × MCT) + (1 × CB-2S) + (1 × CB-08) + (1 × CB-09) + (1 × CB-14) | | |



KIT CODE: LOTOGLC-01F



SAFETY PADLOCK STATION WITH DUST PROOF TRANSPARENT COVER FOR INDUSTRIAL LOCKOUT-TAGOUT

| ITEM | CODE | QUANTITY | PICTURE |
|----------------------------|--------------|----------|----------------|
| MANAGEMENT LOCKOUT STATION | LOTOGLC-01 | 1 | · 000001 10000 |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 8 | |
| 1″ LOCKOUT HASP | LOTOHS-01 | 1 | S |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 1 | |
| LOCKOUT TAG | LOTOLT-02 | 10 | |



KIT CODE: LOTOGLC-02F



SAFETY PADLOCK STATION WITH DUST PROOF TRANSPARENT COVER FOR INDUSTRIAL LOCKOUT-TAGOUT

| ITEM | CODE | QUANTITY | PICTURE |
|----------------------------|--------------|----------|----------|
| MANAGEMENT LOCKOUT STATION | LOTOGLC-02 | 1 | |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 20 | |
| 1″ LOCKOUT HASP | LOTOHS-01 | 2 | G |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 2 | |
| LOCKOUT TAG | LOTOLT-02 | 20 | |



LOCKOUT Station

1111

11111

KIT CODE: LOTOM-S11F



COMBINATION SAFETY LOCKOUT STATION BOARD WALL-MOUNTED LOCKOUT KIT

| ITEM | CODE | QUANTITY | PICTURE |
|----------------------------|--------------|----------|---------|
| MANAGEMENT LOCKOUT STATION | LOTOM-S11 | 1 | |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 10 | |
| 1" LOCKOUT HASP | LOTOHS-01 | 2 | |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 2 | |
| LOCKOUT TAG | LOTOLT-02 | 10 | |



KIT CODE: LOTOM-S12F

COMBINATION SAFETY LOCKOUT STATION BOARD WALL-MOUNTED LOCKOUT KIT



| ITEM | CODE | QUANTITY | PICTURE |
|----------------------------|--------------|----------|---|
| MANAGEMENT LOCKOUT STATION | LOTOM-S12 | 1 | Contraction of the second s |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 20 | |
| 1" LOCKOUT HASP | LOTOHS-01 | 2 | |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 2 | |
| LOCKOUT TAG | LOTOLT-02 | 20 | |



KIT CODE: LOTOM-S13F

ULY



COMBINATION SAFETY LOCKOUT STATION BOARD WALL-MOUNTED LOCKOUT KIT

| ІТЕМ | CODE | QUANTITY | PICTURE |
|----------------------------|--------------|----------|-------------------|
| MANAGEMENT LOCKOUT STATION | LOTOM-S13 | 1 | (COPROLIESTATION) |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 36 | |
| 1″ LOCKOUT HASP | LOTOHS-01 | 2 | S |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 2 | |
| LOCKOUT TAG | LOTOLT-02 | 36 | |



KIT CODE: LOTOM-S15F



30-BIT WALL-MOUNTED TAGOUT LOCKOUT SOLUTION LOCK STATION LOTO BOX KITS SAFETY PADLOCK STATION

| ITEM | CODE | QUANTITY | PICTURE |
|----------------------------|--------------|----------|----------|
| MANAGEMENT LOCKOUT STATION | LOTOM-S15 | 1 | |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 48 | |
| 1″ LOCKOUT HASP | LOTOHS-01 | 6 | S |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 6 | |



KIT CODE: LOTOELK-01



PORTABLE LOCKOUT TAGOUT WATERPROOF BAG ELECTRICAL KIT TOOL BAG

| ІТЕМ | CODE | QUANTITY | PICTURE |
|-------------------------|--------------|----------|-----------|
| PORTABL BAG | LOTOTLB-02 | 1 | V |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 2 | |
| 1″ LOCKOUT HASP | LOTOHS-01 | 1 | 8 |
| LOCKOUT HASP | LOTOHN-01 | 1 | Sea . |
| LOCKOUT TAG | LOTOLT-02 | 5 | |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPO | 1 | ×1/ |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPI | 1 | 101 I |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPOW | 1 | |
| CIRKUIT BREAKER LOCKOUT | LOTO MCT | 1 | ** |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-2S | 1 | A |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-08 | 1 | A |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-09 | 1 | ٠ |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-14 | 1 | - |





KIT CODE: LOTOELK-02

PORTABLE LOCKOUT TAGOUT WATERPROOF BAG ELECTRICAL KIT TOOL BAG



🔶 LILY

| ІТЕМ | CODE | QUANTITY | PICTURE |
|-------------------------|--------------|----------|-------------------|
| PORTABL BAG | LOTOTLB-05 | 1 | |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 2 | |
| 1" LOCKOUT HASP | LOTOHS-01 | 1 | 8 |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 1 | Q |
| LOCKOUT HASP | LOTOHN-01 | 1 | Sealer State |
| LOCKOUT TAG | LOTOLT-02 | 5 | |
| CABLE TIE | 100X2.5 | 10 | D |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPO | 1 | 10 10 |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPI | 1 | <i>₫</i> * ∡~1 |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPOW | 1 | |
| CIRKUIT BREAKER LOCKOUT | LOTO MCT | 1 | ** |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-2S | 1 | R |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-08 | 1 | - |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-09 | 1 | * |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-14 | 1 | - |

www.lilysafety.com



KIT CODE: LOTOELK-03



PORTABLE LOCKOUT TAGOUT WATERPROOF BAG ELECTRICAL KIT TOOL BAG

| ΙΤΕΜ | CODE | QUANTITY | PICTURE |
|---------------------|--------------|----------|--------------------------|
| PORTABL BAG | LOTOTLB-06 | 1 | E . |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 2 | |
| 76MM SAFETY PADLOCK | LOTOS/S76-KD | 2 | |
| 1″ LOCKOUT HASP | LOTOHS-01 | 2 | |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 2 | |
| LOCKOUT HASP | LOTOHN-01 | 2 | and a |
| LOCKOUT TAG | LOTOLT-02 | 10 | |
| CABLE LOCKOUT | LOTOAC-03 | 1 | 6 |
| CABLE LOCKOUT | LOTOAC-04 | 1 | 1 |
| PLUG LOCKOUT | LOTOEP-01L | 1 | ♦ = 4, |



| CABLE TIE | 100X2.5 | 20 | D |
|-------------------------|-----------|----|-------------------|
| CIRKUIT BREAKER LOCKOUT | LOTOMCPO | 2 | |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPI | 2 | <i>≱</i> * ∡~1 |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPOW | 2 | |
| CIRKUIT BREAKER LOCKOUT | LOTO MCT | 1 | ** |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-2S | 2 | |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-08 | 1 | A |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-09 | 1 | |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-14 | 1 | |



KIT CODE: LOTOELK-04



PORTABLE LOCKOUT TAGOUT BOX ELECTRICAL KIT TOOLBOX

| ITEM | CODE | QUANTITY | PICTURE |
|---------------------|--------------|----------|-------------------------|
| PORTABL BAG | LOTOPGL-01 | 1 | PG. 43 |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 2 | |
| 76MM SAFETY PADLOCK | LOTOS/S76-KD | 2 | |
| 1" LOCKOUT HASP | LOTOHS-01 | 2 | S |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 2 | |
| LOCKOUT HASP | LOTOHN-01 | 2 | See |
| LOCKOUT TAG | LOTOLT-02 | 10 | |
| CABLE LOCKOUT | LOTOAC-03 | 1 | 9 |
| CABLE LOCKOUT | LOTOAC-04 | 1 | 1 |
| PLUG LOCKOUT | LOTOEP-01L | 1 | \$ = \$, |



| CABLE TIE | 100X2.5 | 20 | D |
|-------------------------|-----------|----|-------------------|
| CIRKUIT BREAKER LOCKOUT | LOTOMCPO | 2 | |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPI | 2 | <i>≱</i> * ∡~1 |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPOW | 2 | |
| CIRKUIT BREAKER LOCKOUT | LOTO MCT | 1 | ** |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-2S | 2 | |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-08 | 1 | A |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-09 | 1 | |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-14 | 1 | |





KIT CODE: LOTOMEK-01



PORTABLE LOCKOUT TAGOUT WATERPROOF BAG MECHANICAL KIT TOOL BAG

| ITEM | CODE | QUANTITY | PICTURE |
|---------------------|--------------|----------|----------|
| PORTABL BAG | LOTOTLB-01 | 1 | |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 2 | |
| 1" LOCKOUT HASP | LOTOHS-01 | 2 | |
| CABLE LOCKOUT | LOTOAC-01 | 1 | 0 |
| CABLE LOCKOUT | LOTOAC-02 | 1 | |
| GATE VALVE LOCKOUT | LOTOGV-01 | 1 | |
| GATE VALVE LOCKOUT | LOTOGV-02 | 1 | |
| GATE VALVE LOCKOUT | LOTOGV-03 | 1 | . |
| GATE VALVE LOCKOUT | LOTOAGV-01 | 1 | |
| BALL VALVE LOCKOUT | LOTOASBV-01 | 1 | 1 |



KIT CODE: LOTOMEK-02



PORTABLE LOCKOUT TAGOUT WATERPROOF BAG MECHANICAL KIT TOOL BAG

| ІТЕМ | CODE | QUANTITY | PICTURE |
|---------------------|--------------|----------|---------|
| PORTABL BAG | LOTOTLB-01 | 1 | |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 2 | |
| 76MM SAFETY PADLOCK | LOTOS/S76-KD | 2 | |
| 1″ LOCKOUT HASP | LOTOHS-01 | 2 | |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 2 | |
| LOCKOUT TAG | LOTOLT-02 | 10 | |
| CABLE LOCKOUT | LOTOAC-03 | 1 | 9 |
| CABLE TIE | 100X2.5 | 20 | D |
| GATE VALVE LOCKOUT | LOTOGV-01 | 2 | ٠. |
| GATE VALVE LOCKOUT | LOTOGV-04 | 2 | ٠. |





KIT CODE: LOTOMEK-03



PORTABLE LOCKOUT TAGOUT WATERPROOF BAG MECHANICAL KIT TOOL BAG

| ITEM | CODE | QUANTITY | PICTURE |
|--------------------|-------------|----------|---------|
| PORTABL BAG | LOTOTLB-01 | 1 | |
| CABLE LOCKOUT | LOTOAC-02 | 1 | |
| PLUG LOCKOUT | LOTOEP-02 | 1 | |
| GATE VALVE LOCKOUT | LOTOGV-01 | 1 | ٠. |
| GATE VALVE LOCKOUT | LOTOGV-02 | 1 | ٠. |
| GATE VALVE LOCKOUT | LOTOGV-03 | 1 | ٠. |
| GATE VALVE LOCKOUT | LOTOAGV-01 | 1 | |
| BALL VALVE LOCKOUT | LOTOASBV-01 | 1 | |





KIT CODE: LOTOGNK-01



PORTABLE LOCKOUT TAGOUT BAG GENERAL KIT TOOL BAG

| ІТЕМ | CODE | QUANTITY | PICTURE |
|-------------------------|--------------|----------|------------|
| PORTABL BAG | LOTOTLB-05 | 1 | |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 1 | |
| 76MM SAFETY PADLOCK | LOTOS/S76-KD | 1 | |
| 1" LOCKOUT HASP | LOTOHS-01 | 1 | |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 1 | * |
| LOCKOUT TAG | LOTOLT-02 | 5 | |
| CABLE TIE | 100X2.5 | 10 | P |
| GATE VALVE LOCKOUT | LOTOGV-01 | 1 | . |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPO | 1 | |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPI | 1 | 2 • |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPOW | 1 | * |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-2S | 2 | P . |



🔶 LILY

www.lilysafety.com



KIT CODE: LOTOGNK-02



PORTABLE LOCKOUT TAGOUT BAG GENERAL KIT TOOL BAG

| ІТЕМ | CODE | QUANTITY | PICTURE |
|---------------------|--------------|----------|---------------|
| PORTABL BAG | LOTOTLB-06 | 1 | |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 2 | |
| 76MM SAFETY PADLOCK | LOTOS/S76-KD | 2 | |
| 1″ LOCKOUT HASP | LOTOHS-01 | 2 | |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 2 | |
| LOCKOUT HASP | LOTOHN-01 | 2 | ALL OF THE OF |
| LOCKOUT TAG | LOTOLT-02 | 10 | |
| CABLE LOCKOUT | LOTOAC-02 | 1 | |
| PLUG LOCKOUT | LOTOEP-01L | 1 | 会 選 4。 |
| GATE VALVE LOCKOUT | LOTOAGV-01 | 1 | |
| BALL VALVE LOCKOUT | LOTOASBV-01 | 1 | ** |



| CABLE TIE | 100X2.5 | 10 | D |
|-------------------------|-----------|----|-------------------------|
| CIRKUIT BREAKER LOCKOUT | LOTOMCPO | 1 | |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPI | 1 | ♦ <u>⊀</u> ∾∎ |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPOW | 1 | / // / / |
| CIRKUIT BREAKER LOCKOUT | LOTO MCT | 1 | |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-2S | 2 | AP • |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-08 | 1 | A |





KIT CODE: LOTOGNK-03



PORTABLE LOCKOUT TAGOUT BOX GENERAL KIT TOOLBOX

| ІТЕМ | CODE | QUANTITY | PICTURE |
|---------------------|--------------|----------|----------|
| PORTABL BAG | LOTOPGL-01 | 1 | RU. 43 |
| 38MM SAFETY PADLOCK | LOTOS/S38-KD | 2 | |
| 76MM SAFETY PADLOCK | LOTOS/S76-KD | 2 | |
| 1" LOCKOUT HASP | LOTOHS-01 | 2 | |
| 1 ½" LOCKOUT HASP | LOTOHS-02 | 2 | |
| LOCKOUT HASP | LOTOHN-01 | 1 | |
| LOCKOUT TAG | LOTOLT-02 | 10 | |
| CABLE LOCKOUT | LOTOAC-01 | 1 | 0 |
| CABLE LOCKOUT | LOTOAC-04 | 1 | Ś |
| PLUG LOCKOUT | LOTOEP-01L | 1 | * |
| GATE VALVE LOCKOUT | LOTOAGV-01 | 1 | |



| BALL VALVE LOCKOUT | LOTOASBV-01 | 1 | |
|-------------------------|-------------|----|-------------------|
| CABLE TIE | 100X2.5 | 20 | D |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPO | 1 | |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPI | 1 | <i>≱</i> * ∡~∎ |
| CIRKUIT BREAKER LOCKOUT | LOTOMCPOW | 1 | |
| CIRKUIT BREAKER LOCKOUT | LOTO MCT | 1 | ** |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-2S | 1 | AP· |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-08 | 1 | A |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-09 | 1 | |
| CIRKUIT BREAKER LOCKOUT | LOTOCB-14 | 1 | - |

