

TR01830U



SELF-RETRACTABLE FALL ARRESTER WITH RESCUE WINCH + 1 CONNECTOR - 30 M

产品代码 TR01830U_



产品规格

Self retractable fall arrester in stainless steel cable, Ø 5 mm. Rescue winch function with removable handle. ABS housing. Inertia locking system. Energy absorber. 1 automatic swivel connector with fall indicator, opening 21 mm.

Carter: ABS.

Cable: Stainless steel.

COLOUR

SIZE

产品优点及用户益处



Fall indicator

Easy visual verification



Integrated carrying handle

Easy to transport and set-up

Tested at 150 kg

No problem related to the weight of the tools transported or other

Brake system patented

Increased energy absorption performance

IN-OUT intuitive system of the rescue winch patented

Separate and simplified use of the fall arrest (OUT) and rescue (IN) functions

Waterproof product

Resistance in aggressive environments



U connector

x 1

证书及标准



REGULATION (EU) 2016/425

EN365 : 2004 Personal protective equipment against falls from a height – General requirements for the instructions for use, maintenance, periodic examination, repair, marking and packaging.

EN360:2002 Personal protection equipment against falls from a height - Self-retractable fall arrester

150 kg: Additional special requirements

SPECIFIC QUALIFYING CONFORMANCES

EN1496:2017 Personal fall protection equipment - Rescue lifting devices

CLASS A: Rescue device by elevation - Class A

150 kg: Additional special requirements

EN363 : 2018 Personal protection equipment against falls from a height - Personal systems for protection against falls.

EN364 : 1992 Personal protective equipment against falls from a height : Test methods.